

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office SEP 29 1997

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed OCT 08 1997

\*\*\*\*\*

The applicant David A. and Cindy R. Owens hereby make application for permission to change the Point of Diversion and Place of Use and Manner of Use of water heretofore appropriated under 60720 (Permit)

\*\*\*\*\*

1. The source of water is underground
2. The amount of water to be changed 86 acre-feet or 0.354 cfs
3. The water to be used for Irrigation
4. The water heretofore permitted for Irrigation
5. The water is to be diverted at the following point within the SE1/4 SE1/4 of Section 28, T.11N., R.24E., M.D.B.&M. or at a point from which the SE corner of said Section 28 bears S 86° 08' 21" E a distance of 876.26 feet.
6. The existing permitted point of diversion is located within the SW1/4 NW1/4 of Section 19, T.12N., R.24E., M.D.B.&M., or at a point from which the SW corner of said Section 19 bears S 19° 26' 13" W a distance of 3,015.63 feet.
7. Proposed place of use 21 1/2 acres within 200 acres within the NE1/4 NW1/4, NW1/4 NE1/4, NW1/4 SE1/4, SW1/4 SE1/4, NE1/4 SE1/4, SE1/4 SE1/4, all in Section 28, T.11N., R.24E., M.D.B.&M. and the SE1/4 NW1/4 of Section 33, T.11N., R.24E., M.D.B.&M.
8. Existing place of use within the SW1/4 NW1/4, NW1/4 SW1/4 of Section 19, T.12N., R.24E., M.D.B.&M., the E1/2 SE1/4 of Section 24 and a portion of the N1/2 NE1/4 of Section 25 all in T.12N., R.23E., M.D.B.&M.
9. Use will be from Jan 1 to Dec 31 of each year.
10. Use was permitted from April 1 to October 31 of each year.
11. Description of proposed works Drilled well with pump and motor and ditches
12. Estimated cost of works completed
13. Estimated time required to construct works 16" diameter well with Newman 100 HP pump and McCrometer #94-10-2744 flow meter
14. Estimated time required to complete the application of water to beneficial use 2 years

63463

15. Remarks:

By David Owens  
s/ David Owens  
P.O. Box 44  
Smith, Nevada 89430

Compared gkl/cms lw/bk

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 60720 is issued subject to the terms and conditions imposed in said Permit 60720 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 63462, 63463 and any waters of the Walker River Decree appurtenant to these lands and any storage water appurtenant to these lands shall not exceed 86.0 acre-feet seasonally.

The period of use of this permit is limited to April 1st to October 31st of each year.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.354 cubic feet per second, but not to exceed 86.0 acre-feet seasonally, and not to exceed a seasonal duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Application of water to beneficial use shall be filed on or before:

March 10, 2000

Proof of the application of water to beneficial use shall be filed on or before:

April 10, 2000


Map in support of proof of beneficial use shall be filed on or before:

April 10, 2000

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,

this 10th day of March, A.D. 1998

  
State Engineer

Completion of work filed N/A

Proof of beneficial use filed OCT 28 1999

Cultural map filed OCT 28 1999

Certificate No. 15347 Issued NOV 18 1999